

A decorative vertical bar on the left side of the page, consisting of two parallel dark blue lines.

Appendix B:

Traffic Data

Volume Summary Report: Roosevelt bottom

Station ID : Roosevelt bottom

Info Line 1 : 5 ft space

Info Line 2 :

GPS Lat/Lon :

DB File : Roosevelt bottom.DB

Last Connected Device Type : RoadRunner3

Version Number : 1.34

Serial Number : 19237

Number of Lanes : 2

Posted Speed Limit : 0.0 mph

Lane Configuration

#	Dir.	Information	Volume Mode	Volume Sensors	Divide / 2	Comment
1.			Normal	Veh.	No	
2.		Opp -	Normal	Veh.	No	

Total Count:	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	Total
Lane #1	12	10	5	3	2	12	10	27	39	49	64	67	100	127	106	110	157	149	116	110	102	62	37	21	1497
Lane #2	14	4	6	4	9	52	104	100	96	78	73	69	106	83	103	101	76	130	67	59	51	57	29	16	1487
TOTAL	26	14	11	7	11	64	114	127	135	127	137	136	206	210	209	211	233	279	183	169	153	119	66	37	2984


Percents:	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300
Lane #1	1%	1%	0%	0%	0%	1%	1%	2%	3%	3%	4%	4%	7%	8%	7%	7%	10%	10%	8%	7%	7%	4%	2%	1%
Lane #2	1%	0%	0%	0%	1%	3%	7%	7%	6%	5%	5%	5%	7%	6%	7%	7%	5%	9%	5%	4%	3%	4%	2%	1%
TOTAL	1%	0%	0%	0%	0%	2%	4%	4%	5%	4%	5%	5%	7%	7%	7%	7%	8%	9%	6%	6%	5%	4%	2%	1%

ADT:	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	Total
Lane #1	2	1	1	0	0	2	1	4	6	7	9	10	14	18	15	16	22	21	17	16	15	9	5	3	214
Lane #2	2	1	1	1	1	7	15	14	14	11	10	10	15	12	15	14	11	19	10	8	7	8	4	2	212
TOTAL	4	2	2	1	1	9	16	18	20	18	19	20	29	30	30	30	33	40	27	24	22	17	9	5	426


ALL LANES

	Sun	Mon	Tue	Wed	Thu	Fri	Sat	Total	Percent	
DW Totals :	383	406	426	421	429	438	481	Weekday (Mon-Fri) :	2120	71%
# Days :	1.0	1.0	1.0	1.0	1.0	1.0	1.0	ADT :	424	
ADT :	383	406	426	421	429	438	481	Weekend (Sat-Sun) :	864	29%
Percent :	13%	14%	14%	14%	14%	15%	16%	ADT :	432	

ADT Volume vs. Time (all lanes combined)



ADT By Day of Week (all lanes)



Classification Summary Report: Roosevelt bottom

Station ID : Roosevelt bottom

Info Line 1 : 5 ft space

Info Line 2 :

GPS Lat/Lon :

DB File : Roosevelt bottom.DB

Last Connected Device Type : RoadRunner3

Version Number : 1.34

Serial Number : 19237

Number of Lanes : 2

Posted Speed Limit : 0.0 mph

Lane Configuration

#	Dir.	Information	Vehicle Sensors	Sensor Spacing	Loop Length
1.			Axle-Axle	5.0 ft	
2.	Opp -		Axle-Axle	5.0 ft	

Axle Class Summary:

(DEFAULTC)


Description	Lane	Cycle	Cars	2A-4T	Buses	2A-SU	3A-SU	4A-SU	4A-ST	5A-ST	6A-ST	5A-MT	6A-MT	Other	Total
Total Count :	#1.	18	867	595	0	3	1	1	1	2	1	1	0	0	1490
	#2.	27	851	594	0	5	1	0	5	0	0	0	0	0	1483
		<u>45</u>	<u>1718</u>	<u>1189</u>	<u>0</u>	<u>8</u>	<u>2</u>	<u>1</u>	<u>6</u>	<u>2</u>	<u>1</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>2973</u>
Percents :	#1.	1%	58%	40%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%
	#2.	2%	57%	40%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%
		<u>2%</u>	<u>58%</u>	<u>40%</u>	<u>0%</u>	<u>0%</u>	<u>0%</u>	<u>0%</u>	<u>0%</u>	<u>0%</u>	<u>0%</u>	<u>0%</u>	<u>0%</u>	<u>0%</u>	

Speed Class Summary:


(DEFAULTX)

	#1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12	#13	#14	#15	#16	Other	Total	
	0.0 - 19.9	20.0 - 24.9	25.0 - 29.9	30.0 - 34.9	35.0 - 39.9	40.0 - 44.9	45.0 - 49.9	50.0 - 54.9	55.0 - 59.9	60.0 - 64.9	65.0 - 69.9	70.0 - 74.9	75.0 - 79.9	80.0 - 84.9	85.0 - 89.9				
Total Count :	#1.	101	157	297	391	298	160	62	15	7	1	1	0	0	0	0	0	1490	
	#2.	73	203	437	462	243	55	7	2	0	0	1	0	0	0	0	0	1483	
		<u>174</u>	<u>360</u>	<u>734</u>	<u>853</u>	<u>541</u>	<u>215</u>	<u>69</u>	<u>17</u>	<u>7</u>	<u>1</u>	<u>2</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2973</u>	
Percents :	#1.	7%	11%	20%	26%	20%	11%	4%	1%	0%	0%	0%	0%	0%	0%	0%	0%	50%	
	#2.	5%	14%	29%	31%	16%	4%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%	
		<u>6%</u>	<u>12%</u>	<u>25%</u>	<u>29%</u>	<u>18%</u>	<u>7%</u>	<u>2%</u>	<u>1%</u>	<u>0%</u>	<u>0%</u>	<u>0%</u>	<u>0%</u>	<u>0%</u>	<u>0%</u>	<u>0%</u>	<u>0%</u>		
Avg, 50, 67, 85 :	#1.	31.9	32.4	36.0	40.7	Pace (pace %) :					30.0 - 39.9	46.2%	Days & ADT : #1.					7.0	213
	#2.	29.8	30.3	33.0	36.8						25.0 - 34.9	60.6%	#2.					7.0	212
		<u>30.9</u>	<u>31.3</u>	<u>34.2</u>	<u>38.7</u>						<u>25.0 - 34.9</u>	<u>53.4%</u>						<u>7.0</u>	<u>425</u>

Axle Class vs. Volume (all lanes)



Speed Class vs. Volume (all lanes)



Volume Summary Report: Roosevelt Before Y

Station ID : Roosevelt Before Y

Info Line 1 : before y

Info Line 2 :

GPS Lat/Lon :

DB File : Roosevelt Before Y.DB

Last Connected Device Type : RoadRunner3

Version Number : 1.34

Serial Number : 19236

Number of Lanes : 2

Posted Speed Limit : 0.0 mph

Lane Configuration

#	Dir.	Information	Volume Mode	Volume Sensors	Divide / 2	Comment
1.			Normal	Axle	Yes	
2.		Opp -	Normal	Axle	Yes	

Total Count:	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	Total
Lane #1	9	8	4	2	1	11	9	29	30	48	51	60	84	105	84	92	122	126	94	92	84	53	29	13	1240
Lane #2	9	2	4	3	10	54	94	75	77	67	58	62	82	73	94	77	71	99	52	52	41	48	18	10	1232
TOTAL	18	10	8	5	11	65	103	104	107	115	109	122	166	178	178	169	193	225	146	144	125	101	47	23	2472


Percents:	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300
Lane #1	1%	1%	0%	0%	0%	1%	1%	2%	2%	4%	4%	5%	7%	8%	7%	7%	10%	10%	8%	7%	7%	4%	2%	1%
Lane #2	1%	0%	0%	0%	1%	4%	8%	6%	6%	5%	5%	5%	7%	6%	8%	6%	6%	8%	4%	4%	3%	4%	1%	1%
TOTAL	1%	0%	0%	0%	0%	3%	4%	4%	4%	5%	4%	5%	7%	7%	7%	7%	8%	9%	6%	6%	5%	4%	2%	1%

ADT:	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	Total
Lane #1	1	1	1	0	0	2	1	4	4	7	7	9	12	15	12	13	17	18	13	13	12	8	4	2	176
Lane #2	1	0	1	0	1	8	13	11	11	10	8	9	12	10	13	11	10	14	7	7	6	7	3	1	174
TOTAL	2	1	2	0	1	10	14	15	15	17	15	18	24	25	25	24	27	32	20	20	18	15	7	3	350


ALL LANES

	Sun	Mon	Tue	Wed	Thu	Fri	Sat	Total	Percent	
DW Totals :	312	321	356	350	359	365	409	Weekday (Mon-Fri) :	1751	71%
# Days :	1.0	1.0	1.0	1.0	1.0	1.0	1.0	ADT :	350	
ADT :	312	321	356	350	359	365	409	Weekend (Sat-Sun) :	721	29%
Percent :	13%	13%	14%	14%	15%	15%	17%	ADT :	361	

ADT Volume vs. Time (all lanes combined)



ADT By Day of Week (all lanes)



Classification Summary Report: Roosevelt Before Y

Station ID : Roosevelt Before Y

Info Line 1 : before y

Info Line 2 :

GPS Lat/Lon :

DB File : Roosevelt Before Y.DB

Last Connected Device Type : RoadRunner3

Version Number : 1.34

Serial Number : 19236

Number of Lanes : 2

Posted Speed Limit : 0.0 mph

Lane Configuration

#	Dir.	Information	Vehicle Sensors	Sensor Spacing	Loop Length
1.			Axle-Axle	5.0 ft	
2.	Opp -		Axle-Axle	5.0 ft	

Axle Class Summary:

(DEFAULTC)


Description	Lane	Cycle	Cars	2A-4T	Buses	2A-SU	3A-SU	4A-SU	4A-ST	5A-ST	6A-ST	5A-MT	6A-MT	Other	Total
Total Count :	#1.	18	625	577	0	10	1	1	2	0	1	0	0	0	1235
	#2.	32	719	468	0	4	4	0	3	0	0	0	0	0	1230
		50	1344	1045	0	14	5	1	5	0	1	0	0	0	2465
Percents :	#1.	1%	51%	47%	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%	50%
	#2.	3%	58%	38%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%
		2%	55%	42%	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%	

Speed Class Summary:


(DEFAULTX)

	#1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12	#13	#14	#15	#16	Other	Total
	0.0 - 19.9	20.0 - 24.9	25.0 - 29.9	30.0 - 34.9	35.0 - 39.9	40.0 - 44.9	45.0 - 49.9	50.0 - 54.9	55.0 - 59.9	60.0 - 64.9	65.0 - 69.9	70.0 - 74.9	75.0 - 79.9	80.0 - 84.9	85.0 - 89.9			
Total Count :	#1.	24	50	172	383	339	177	59	22	6	2	0	0	1	0	0	0	1235
	#2.	24	77	245	349	333	136	46	10	4	3	3	0	0	0	0	0	1230
		48	127	417	732	672	313	105	32	10	5	3	0	1	0	0	0	2465
Percents :	#1.	2%	4%	14%	31%	27%	14%	5%	2%	0%	0%	0%	0%	0%	0%	0%	0%	50%
	#2.	2%	6%	20%	28%	27%	11%	4%	1%	0%	0%	0%	0%	0%	0%	0%	0%	50%
		2%	5%	17%	30%	27%	13%	4%	1%	0%	0%	0%	0%	0%	0%	0%	0%	
Avg, 50, 67, 85 :	#1.	35.0	34.8	37.9	42.3	Pace (pace %) :			30.0 - 39.9	58.5%	Days & ADT : #1.			7.0	176			
	#2.	33.8	33.7	37.0	40.9				30.0 - 39.9	55.4%	#2.			7.0	176			
		34.4	34.4	37.5	41.6				30.0 - 39.9	57.0%				7.0	352			

Axle Class vs. Volume (all lanes)



Speed Class vs. Volume (all lanes)



Volume Summary Report: Roosevelt after y

Station ID : Roosevelt after y

Info Line 1 : 5 ft space

Info Line 2 :

GPS Lat/Lon :

DB File : Roosevelt after y.DB

Last Connected Device Type : RoadRunner3

Version Number : 1.34

Serial Number : 19239

Number of Lanes : 2

Posted Speed Limit : 0.0 mph

Lane Configuration

#	Dir.	Information	Volume Mode	Volume Sensors	Divide / 2	Comment
1.			Normal	Veh.	No	
2.		Opp -	Normal	Veh.	No	

Total Count:	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	Total
Lane #1	3	0	0	1	1	29	39	12	36	27	24	25	29	29	36	14	25	25	11	7	12	5	2	0	392
Lane #2	4	0	1	1	0	4	4	6	9	12	20	27	28	32	28	29	27	47	29	31	26	11	7	3	386
TOTAL	7	0	1	2	1	33	43	18	45	39	44	52	57	61	64	43	52	72	40	38	38	16	9	3	778


Percents:	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	
Lane #1	1%	0%	0%	0%	0%	7%	10%	3%	9%	7%	6%	6%	7%	7%	9%	4%	6%	6%	3%	2%	3%	1%	1%	0%	
Lane #2	1%	0%	0%	0%	0%	1%	1%	2%	2%	3%	5%	7%	7%	8%	7%	8%	7%	12%	8%	8%	7%	3%	2%	1%	
TOTAL	1%	0%	0%	0%	0%	4%	6%	2%	6%	5%	6%	7%	7%	8%	8%	6%	7%	9%	5%	5%	5%	2%	1%	0%	

ADT:	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	Total
Lane #1	0	0	0	0	0	4	6	2	5	4	3	4	4	4	5	2	4	4	2	1	2	1	0	0	57
Lane #2	1	0	0	0	0	1	1	1	1	2	3	4	4	5	4	4	4	7	4	4	4	2	1	0	57
TOTAL	1	0	0	0	0	5	7	3	6	6	6	8	8	9	9	6	8	11	6	5	6	3	1	0	114


ALL LANES

	Sun	Mon	Tue	Wed	Thu	Fri	Sat	Total	Percent	
DW Totals :	77	123	133	101	126	129	89	Weekday (Mon-Fri) :	612	79%
# Days :	1.0	1.0	1.0	1.0	1.0	1.0	1.0	ADT :	123	
ADT :	77	123	133	101	127	129	89	Weekend (Sat-Sun) :	166	21%
Percent :	10%	16%	17%	13%	16%	17%	11%	ADT :	83	

ADT Volume vs. Time (all lanes combined)



ADT By Day of Week (all lanes)



Classification Summary Report: Roosevelt after y

Station ID : Roosevelt after y

Info Line 1 : 5 ft space

Info Line 2 :

GPS Lat/Lon :

DB File : Roosevelt after y.DB

Last Connected Device Type : RoadRunner3

Version Number : 1.34

Serial Number : 19239

Number of Lanes : 2

Posted Speed Limit : 0.0 mph

Lane Configuration

#	Dir.	Information	Vehicle Sensors	Sensor Spacing	Loop Length
1.			Axle-Axle	5.0 ft	
2.	Opp -		Axle-Axle	5.0 ft	

Axle Class Summary:

(DEFAULTC)


Description	Lane	Cycle	Cars	2A-4T	Buses	2A-SU	3A-SU	4A-SU	4A-ST	5A-ST	6A-ST	5A-MT	6A-MT	Other	Total
Total Count :	#1.	6	214	165	1	1	1	0	0	0	0	2	0	0	390
	#2.	9	213	162	0	1	1	0	0	0	0	0	0	0	386
		15	427	327	1	2	2	0	0	0	0	2	0	0	776
Percents :	#1.	2%	55%	42%	0%	0%	0%	0%	0%	0%	0%	1%	0%	0%	50%
	#2.	2%	55%	42%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%
		2%	55%	42%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	

Speed Class Summary:


(DEFAULTX)

	#1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12	#13	#14	#15	#16	Other	Total	
	0.0 - 19.9	20.0 - 24.9	25.0 - 29.9	30.0 - 34.9	35.0 - 39.9	40.0 - 44.9	45.0 - 49.9	50.0 - 54.9	55.0 - 59.9	60.0 - 64.9	65.0 - 69.9	70.0 - 74.9	75.0 - 79.9	80.0 - 84.9	85.0 - 89.9				
Total Count :	#1.	78	171	110	30	0	0	0	1	0	0	0	0	0	0	0	0	0	390
	#2.	62	135	156	30	2	0	1	0	0	0	0	0	0	0	0	0	0	386
		140	306	266	60	2	0	1	0	1	0	0	0	0	0	0	0	0	776
Percents :	#1.	20%	44%	28%	8%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%
	#2.	16%	35%	40%	8%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%
		18%	39%	34%	8%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
Avg, 50, 67, 85 :	#1.	22.2	23.3	25.8	28.3	Pace (pace %) :				20.1 - 30.0	72.1%	Days & ADT : #1.				7.0	56		
	#2.	23.4	24.7	27.0	29.1					20.1 - 30.0	75.4%	#2.				7.0	55		
		22.8	24.0	26.6	28.9					20.1 - 30.0	73.7%					7.0	111		

Axle Class vs. Volume (all lanes)



Speed Class vs. Volume (all lanes)



Volume Summary Report: Roosevelt Top

Station ID : Roosevelt Top

Info Line 1 : top

Info Line 2 :

GPS Lat/Lon :

DB File : Roosevelt Top.DB

Last Connected Device Type : RoadRunner3

Version Number : 1.34

Serial Number : 19238

Number of Lanes : 2

Posted Speed Limit : 0.0 mph

Lane Configuration

#	Dir.	Information	Volume Mode	Volume Sensors	Divide / 2	Comment
1.			Directional	Axle	Yes	
2.	Opp -		Directional	Axle	Yes	

Total Count:	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	Total
Lane #1	1	0	0	1	0	7	6	1	3	2	2	7	4	11	11	2	5	3	6	2	3	3	1	0	81
Lane #2	1	0	1	0	0	4	4	1	1	1	8	5	9	8	10	3	4	4	6	9	2	3	0	0	84
TOTAL	2	0	1	1	0	11	10	2	4	3	10	12	13	19	21	5	9	7	12	11	5	6	1	0	165


Percents:	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300
Lane #1	1%	0%	0%	1%	0%	9%	7%	1%	4%	2%	2%	9%	5%	14%	14%	2%	6%	4%	7%	2%	4%	4%	1%	0%
Lane #2	1%	0%	1%	0%	0%	5%	5%	1%	1%	1%	10%	6%	11%	10%	12%	4%	5%	5%	7%	11%	2%	4%	0%	0%
TOTAL	1%	0%	1%	1%	0%	7%	6%	1%	2%	2%	6%	7%	8%	12%	13%	3%	5%	4%	7%	7%	3%	4%	1%	0%

ADT:	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	Total
Lane #1	0	0	0	0	0	1	1	0	0	0	0	1	1	2	2	0	1	0	1	0	0	0	0	0	10
Lane #2	0	0	0	0	0	1	1	0	0	0	1	1	1	1	1	0	1	1	1	1	0	0	0	0	11
TOTAL	0	0	0	0	0	2	2	0	0	0	1	2	2	3	3	0	2	1	2	1	0	0	0	0	21


ALL LANES

	Sun	Mon	Tue	Wed	Thu	Fri	Sat	Total	Percent
DW Totals :	17	26	28	14	27	27	26	Weekday (Mon-Fri) :	122 74%
# Days :	1.0	1.0	1.0	1.0	1.0	1.0	1.0	ADT :	24
ADT :	17	26	28	14	27	27	26	Weekend (Sat-Sun) :	43 26%
Percent :	10%	16%	17%	8%	16%	16%	16%	ADT :	22

ADT Volume vs. Time (all lanes combined)



ADT By Day of Week (all lanes)



Classification Summary Report: Roosevelt Top

Station ID : Roosevelt Top

Info Line 1 : top
 Info Line 2 :

GPS Lat/Lon :

DB File : Roosevelt Top.DB

Last Connected Device Type : RoadRunner3

Version Number : 1.34

Serial Number : 19238

Number of Lanes : 2

Posted Speed Limit : 0.0 mph

Lane Configuration

#	Dir.	Information	Vehicle Sensors	Sensor Spacing	Loop Length
1.			Axle-Axle	5.0 ft	
2.	Opp -		Axle-Axle	5.0 ft	

Axle Class Summary:

(DEFAULTC)


Description	Lane	Cycle	Cars	2A-4T	Buses	2A-SU	3A-SU	4A-SU	4A-ST	5A-ST	6A-ST	5A-MT	6A-MT	Other	Total
Total Count :	#1.	1	50	26	0	3	0	0	0	0	0	0	0	0	80
	#2.	5	53	25	0	1	0	0	0	0	0	0	0	0	84
		<u>6</u>	<u>103</u>	<u>51</u>	<u>0</u>	<u>4</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>164</u>
Percents :	#1.	1%	63%	33%	0%	4%	0%	0%	0%	0%	0%	0%	0%	0%	49%
	#2.	6%	63%	30%	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%	51%
		<u>4%</u>	<u>63%</u>	<u>31%</u>	<u>0%</u>	<u>2%</u>	<u>0%</u>	<u>0%</u>	<u>0%</u>	<u>0%</u>	<u>0%</u>	<u>0%</u>	<u>0%</u>	<u>0%</u>	

Speed Class Summary:

(DEFAULTX)

	#1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12	#13	#14	#15	#16	Other	Total	
	0.0 - 19.9	20.0 - 24.9	25.0 - 29.9	30.0 - 34.9	35.0 - 39.9	40.0 - 44.9	45.0 - 49.9	50.0 - 54.9	55.0 - 59.9	60.0 - 64.9	65.0 - 69.9	70.0 - 74.9	75.0 - 79.9	80.0 - 84.9	85.0 - 89.9				
Total Count :	#1.	68	9	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	80
	#2.	55	28	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	84
		<u>123</u>	<u>37</u>	<u>3</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>164</u>
Percents :	#1.	85%	11%	4%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	49%
	#2.	65%	33%	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	51%
		<u>75%</u>	<u>23%</u>	<u>2%</u>	<u>1%</u>	<u>0%</u>	<u>0%</u>	<u>0%</u>	<u>0%</u>	<u>0%</u>	<u>0%</u>	<u>0%</u>	<u>0%</u>	<u>0%</u>	<u>0%</u>	<u>0%</u>	<u>0%</u>	<u>0%</u>	
Avg, 50, 67, 85 :	#1.	12.1	10.4	11.2	12.2	Pace (pace %) :				8.0 - 17.9	85.0%	Days & ADT : #1.				7.0	11		
	#2.	14.4	10.9	21.7	22.7					8.3 - 18.2	65.5%	#2.				7.0	12		
		<u>13.2</u>	<u>11.3</u>	<u>13.0</u>	<u>22.4</u>					<u>6.2 - 16.1</u>	<u>75.0%</u>					<u>7.0</u>	<u>23</u>		

Axle Class vs. Volume (all lanes)



Speed Class vs. Volume (all lanes)

